

Scopus

Document details

[< Back to results](#) | 1 of 1
[Export](#)
[Download](#)
[Print](#)
[E-mail](#)
[Save to PDF](#)
[☆ Add to List](#)
[More... >](#)
[Full Text](#)[View at Publisher](#)

Proceedings - 5th International Conference on Computer and Communication Engineering: Emerging Technologies via Comp-Unication Convergence, ICCCE 2014

4 February 2015, Article number 7031590, Pages 20-23

5th International Conference on Computer and Communication Engineering, ICCCE 2014; Sunway Putra HotelKuala Lumpur; Malaysia; 23 September 2014 through 24 September 2014; Category numberE5413; Code 110844

Acquisition of a very low voltage and a low frequency biomedical signal-frequency selective filter design (Conference Paper)

Shobaki, M.M.M., Malik, N.A. [✉](#), Nordin, A.N., Khan, S.

Department of Electrical and Computer Engineering, International Islamic University Malaysia, Kuala Lumpur, Malaysia

Abstract

[View references \(14\)](#)

In this paper we present a review on the frequency content and voltage level in biomedical signals beside showing how extraction of chosen features and parameters from these signals, are important for many medical diagnostic applications. A 4th order band-pass filter using high and low-pass Sallen Key active filters are proposed, and the values of passive component for different biomedical filters have been provided. The circuits are simulated and the frequency response is shown. The power spectrum density (PSD) of an EMG signals is presented where it becomes clear that the PSD graph can provide the value of the bandwidth for the signal of interest. The response of the filter is validated and the utility of the conditioning circuit is testified. © 2014 IEEE.

Author keywords

biomedical signals frequency selective filters power spectrum density

Indexed keywords

Engineering
controlled terms:

Active filters Bandpass filters Bioelectric phenomena Diagnosis Frequency response
High pass filters Low pass filters Passive filters Power spectrum

Biomedical signal
Conditioning circuit
Frequency contents
Frequency selective filter
Medical diagnostics
Power spectrum density
Signal of interests
Very low voltage

Engineering main heading: Signal processing

Metrics [ⓘ](#)

0 Citations in Scopus

0 Field-Weighted Citation Impact



PlumX Metrics [▼](#)

Usage, Captures, Mentions, Social Media and Citations beyond Scopus.

Cited by 0 documents

Inform me when this document is cited in Scopus:

[Set citation alert >](#)

[Set citation feed >](#)

Related documents

Architecture of the basic physiologic recorder

Ng, J. , Goldberger, J.J. (2010) *Practical Signal and Image Processing in Clinical Cardiology*

Design of portable ECG monitor

Lin, H.-P. , Chen, J. , Xiang, K. (2009) *Wuhan Ligong Daxue Xuebao/Journal of Wuhan University of Technology*

Distinguishing normal and abnormal ECG signal

Tirumala Rao, P. , Koteswarao Rao, S. , Manikanta, G. (2016) *Indian Journal of Science and Technology*

[View all related documents based on references](#)

[Find more related documents in Scopus based on:](#)

[Authors >](#) [Keywords >](#)

ISBN: 978-147997635-5
Source Type: Conference Proceeding
Original language: English

DOI: 10.1109/ICCCE.2014.19
Document Type: Conference Paper
Volume Editors: Gunawan T.S.
Sponsors: Felda Wellness Corporation, Malaysia Convention and Exhibition Bureau (MyCEB), Malaysian Industry-Government Group for High Technology, University Putra Malaysia, Yayasan Kesejahteraan Bandar
Publisher: Institute of Electrical and Electronics Engineers Inc.

References (14)

View in search results format >

☐ All ☐ Export ☐ Print ☐ E-mail ☐ Save to PDF ☐ Create bibliography

- ☐ 1 Zhang, F., Holleman, J., Otis, B.P.
 Design of ultra-low power biopotential amplifiers for biosignal acquisition applications
 (2012) *IEEE Transactions on Biomedical Circuits and Systems*, 6 (4), art. no. 6129415, pp. 344-355. Cited 77 times.
 doi: 10.1109/TBCAS.2011.2177089
[View at Publisher](#)
- ☐ 2 Übeyli, E.D.
 Statistics over features of ECG signals
 (2009) *Expert Systems with Applications*, 36 (5), pp. 8758-8767. Cited 8 times.
 doi: 10.1016/j.eswa.2008.11.015
[View at Publisher](#)
- ☐ 3 Hardalaç, F., Canal, R.
 EMG circuit design and AR analysis of EMG signs
 (2004) *Journal of Medical Systems*, 28 (6), pp. 633-642. Cited 6 times.
 doi: 10.1023/B:JOMS.0000044965.39038.9b
[View at Publisher](#)
- ☐ 4 Jarvis, M.R., Mitra, P.P.
 Apnea patients characterized by 0.02 Hz peak in the multitaper spectrogram of electrocardiogram signals
 (2000) *Computers in Cardiology*, pp. 769-772. Cited 17 times.
[View at Publisher](#)
- ☐ 5 Rangayyan, R.M.
 (2001) *Biomedical Signal Analysis: A Case-Study Approach*, pp. 1-70. Cited 478 times.
 Wiley-IEEE Press, December
- ☐ 6 Webster, J.G.
 (2009) *Medical Instrumentation Application and Design*, pp. 140-144. Cited 1041 times.
 4th Edition. Wiley
- ☐ 7 (2012) *Biomedical Signals Acquisition- EEG Introduction*
 online at
http://www.medicine.mcgill.ca/physio/vlab/biomed_signals/EEG_n.htm

-
- ☐ 8 Marmor, M.F., Brigell, M.G., McCulloch, D.L., Westall, C.A., Bach, M.
ISCEV standard for clinical electro-oculography (2010 update)
- (2011) *Documenta Ophthalmologica*, 122 (1), pp. 1-7. Cited 71 times.
doi: 10.1007/s10633-011-9259-0
- [View at Publisher](#)
-
- ☐ 9 Saladin, K.S., Van, D.
(2001) *Anatomy and Physiology*, pp. 340-400.
2nd edition, chapter 11, McGraw Hill
-
- ☐ 10 Clifford, G.D., Azuaje, F., McSharry, P.
(2006) *Advanced Methods and Tools for ECG Data Analysis*, pp. 1-25. Cited 338 times.
Artech House, London
-
- ☐ 11 Calgary, N.W.
(2010) *Electrical Phenomena in the Human Stomach*
Alberta, University of Calgary, Canada1N4Copyright ©. Online at
<http://enel.ucalgary.ca/People/Mintchev/stomach.htm#Top>
-
- ☐ 12 Fiorucci, E., Bucci, G., Cattaneo, R., Monaco, A.
The measurement of surface electromyographic signal in rest position for the correct prescription of eyeglasses
- (2012) *IEEE Transactions on Instrumentation and Measurement*, 61 (2), art. no. 6020792, pp. 419-428. Cited 6 times.
doi: 10.1109/TIM.2011.2164838
- [View at Publisher](#)
-
- ☐ 13 Thongpanja, S., Phinyomark, A., Phukpattaranont, P., Limsakul, C.
A feasibility study of fatigue and muscle contraction indices based on EMG time-dependent spectral analysis
- (2012) *Procedia Engineering*, 32, pp. 239-245. Cited 7 times.
doi: 10.1016/j.proeng.2012.01.1263
- [View at Publisher](#)
-
- ☐ 14 Rafiee, J., Rafiee, M.A., Yavari, F., Schoen, M.P.
Feature extraction of forearm EMG signals for prosthetics
- (2011) *Expert Systems with Applications*, 38 (4), pp. 4058-4067. Cited 56 times.
doi: 10.1016/j.eswa.2010.09.068
- [View at Publisher](#)
-

© Copyright 2015 Elsevier B.V., All rights reserved.

[Content coverage](#)

[切换到简体中文](#)

[Contact us](#)

[Scopus blog](#)

[切换到繁體中文](#)

[Scopus API](#)

[Русский язык](#)

[Privacy matters](#)

ELSEVIER

[Terms and conditions](#) [Privacy policy](#)

Copyright © 2017 Elsevier B.V. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

Cookies are set by this site. To decline them or learn more, visit our [Cookies page](#).

 RELX Gr